EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1		(\$4controller\$4 Storage \$3).ti. (\$4controller\$4 Storage\$3).ab. (\$4controller\$4 with Storage\$3).ab. (\$4controller\$4 with Storage\$3 with (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) with (\$4nstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6 or procedur \$4) with (time\$4 or Period \$4 or 4Schedul\$4 or delay \$4 or expirat\$4) with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4)	US PGPUB; USPAT; USPOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14
L2	6	(\$4controller\$4 Storage \$3).t.i. (\$4controller\$4 Storage\$3).t.i. (\$4controller\$4 Storage\$3).ab. (\$4controller\$4 same Storage\$3).ab. (\$4controller\$4 same (\$time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) same (\$4lnstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6 or procedur \$4) same (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) same (\$4average\$4 or \$4mximm\$4 or \$4mxi	US-PGPUB; USPAT; USPAT; USPOT; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14
L3	4	I2 @ad< "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14 16:16
L4	17	("4063308" "5276858" "5809340" "6088774"). PN. OR ("6438670"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/14 16:19

L5	14	4 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14 16:20
L6	7	(US-20020051544-\$ or US- 20030200398-\$ or US- 20030177379-\$), did. or (US-4755660-\$ or US- 6260120-\$ or US- 6438670-\$ or US- 6519716-\$), did.	US-PGPUB; USPAT	OR	ON	2008/02/14 16:26
L7	6	iló (\$4controller\$4 Storage \$3 (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6 or procedur \$4) (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) (\$4average \$4 or \$4minimum\$4 or \$4maximum\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14 16:26
S2	1149	713/189.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 17:05
S 3	2	HORI-YOSHIHIRO.in. KANAI-YUICHI.in. OHNO- RYQJI.in. OHISHI-TAKEO. in. TADA-KENICHIRO.in. HIRAI-TATSUYA.in. TSURU-MASAPUMI.in. HASEBE-TAKAYUKI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 17:10
S4	1054	HORI-YOSHIHIRO.in. KANAI-YUICHI.in. OHNO- RYOJI.in. OHISHI-TAKEO. in. TADA-KENICHIRO.in. HIRAI-TATSUYA.in. TSURU-MASAPUMI.in. HASEBE-TAKAYUKI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 17:10

\$5	67471	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat \$5 or \$4Isolat\$5 or \$4Separat \$5 or \$4Isolat\$5 or \$4Isolat\$5 or \$4Isolat\$5 or \$4Isolat\$5 or \$4Isolat\$6 or \$4disengage\$5) (\$4Chain \$4 or \$4Sepiens\$4 or \$4Serien\$6 or \$4Serien\$6 or \$4Sepien\$5 or \$4code\$4 or \$4cipher\$5 or \$4code\$4 or \$4cipher\$5 or \$4code\$4 or \$4cipher\$5 or \$4Informat\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4plural \$5) (\$4Stor\$4 or \$4plural \$5) (\$4Stor\$4 or \$4plural \$5) (\$4Stor\$6 or \$4load \$4 or \$4vwiri\$4) (\$4Instruct\$7 or \$4program\$5 or \$4code \$4 or \$4Command\$4 or \$4Command\$5 or \$4Code\$3 or \$4Workstat\$4 or \$4Termind\$5 or \$4Cient\$3 or \$4station\$2 or \$4deviex\$3)	US-PGPUB; USPAT; USPOR; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2007/02/21
98	2	\$4controller\$4 (\$AIDivid\$4 or \$4Splii\$4 or \$4Partit\$5 or \$4Isolat\$5 or \$4Separat \$5 or \$4Isolat\$5 or \$4Separat \$5 or \$4Isolat\$6 or \$4disconnect\$5 or \$4disconnect\$5 or \$4disconnect\$6 or \$4Series\$4 or \$4Sring\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Proce\$6 (Content\$4 or \$4Data or \$4Informat\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4plural \$5) (\$4Stor\$4 or \$4load \$4 or \$4Vommand\$4 or \$4porgram\$5 or \$4code \$4 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4User\$2 or \$4host \$3 or \$4User\$2 or \$4host	US-PGPUB; USPAT; USPAT; USOCR; EPO; JPO; DEFWMENT; IBM_TDB	МТН	ON	2007/02/21

S7	16	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Split\$4 or \$4Split\$4 or \$4Split\$5 or \$4Separat \$5 or \$4Separat \$5 or \$4Separat \$5 or \$4Detach\$4 or \$4Separat \$5 or \$4Detach\$4 or \$4disengage\$5) (\$4Chain \$4 or \$4Sequenc\$4 or \$4Sequenc\$4 or \$4Sequenc\$4 or \$4Sequenc\$4 or \$4cipher\$5 or \$4code\$4 or \$4cipher\$5 or \$4code\$4 or \$4cipher\$5 or \$4dent\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4lnformat\$5 or \$4Multimed\$7) (\$4Second\$4 or \$4lnformat\$5 or \$4Multimed\$7 or \$4plural \$5) (\$4Stor\$4 or \$4load \$4 or \$4cwent\$7 or \$4program\$5 or \$4code \$4 or \$4Command\$4 or \$4Execut\$6) (\$4Nox4e\$3 or \$4Command\$4 or \$4Execut\$60 (\$4Nox4e\$3 or \$4Command\$4 or \$4Execut\$60 (\$4Nox4e\$3 or \$4Command\$4 o	US-PGPUB; USPAT; USPOR; EPO; JPO; DEFWENT; IBM_TDB	SAME	ON	2007/02/21
S8	9	S7 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21
59	73	(\$4controller\$4 same (\$4Divid\$4 or \$4Split\$4 or \$4Splarat\$5 or \$4Splarat\$6 or \$4Splarat\$6 or \$4Splarat\$6 or \$4Splarat\$6 or \$4Splarat\$7 or \$4Splarat\$7 or \$4Splarat\$7 or \$4Splarat\$7 or \$4Splarat\$7 or \$4Dlarat\$7 or \$4Dla	US PGPUB; USPAT; USOOR; EPO; JPO; DEHWENT; IBM_TDB	AND	ON	2007/02/21 19:33

		or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4User\$2 or \$4host \$3 or \$4User\$2 or \$4host \$3 or \$4station\$2 or \$4devic\$3) ((\$4typical\$4 or \$4Ver\$34 or \$4imum \$4 or \$4Estimat\$4) near3 (\$4time or \$4period\$4 or \$4delay\$41)	***************************************	<i>пинининининининининининининининининини</i>	***************************************	***************************************
S10	56	S9 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 19:37
S11		(\$4controller\$4 (\$4Divid \$4 or \$4Split\$4 or \$4Partit \$5 or \$41solat\$5 or \$4Partit \$5 or \$41solat\$5 or \$4Detach \$4 or \$4disconnect\$5 or \$4disengage\$5) (\$4Chain \$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4crambl\$5) \$4putt\$5). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 19:35
S12	***************************************	((\$4\$cor\$4 or \$40lad\$4 or \$4vrit\$4) \$4controller \$4 (\$4Divid\$4 or \$4\$Qiit \$4 or \$4\$Partit\$5 or \$4\$Partit\$5 or \$4\$Partit\$5 or \$4Detach\$4 or \$4disconnect\$5 or \$4disconsect\$5 or \$454chain \$4 or \$4\$Quenc\$4 or \$4\$Cries\$4 or \$4\$Cries\$5 or \$4copher\$5 or \$4cophe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/22 16:27
S13	39	S12 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:08
S14	100	(\$4Stor\$4 with \$4controller\$4 with (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) with \$4putt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/22 16:28

S15	59	S14 @ad< "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/22
S16	63	\$4controller\$4 (\$4Divid\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Separat\$5) (\$4Chain \$4 or \$4Sequenc\$4 or \$4Series\$4) (\$4crypt\$5 or \$4code\$4 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/25 19:10
S17	44	S16 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:11
S18	2	\$4controller\$4 (\$4Divid\$4 or \$45plit\$4 or \$44Partit\$5 or \$45eparat\$5) (\$4Chain \$4 or \$45equenc\$4 or \$45equenc\$4 or \$45equenc\$4 or \$45equenc\$5 or \$4sorambl\$5) \$4putt\$5 or \$4sorambl\$5) \$4putt\$5 or \$4sorambl\$5) \$4putt\$5 or \$4conmand\$4 or \$4Command\$4 or \$4conmand\$4 or \$4cout\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	WITH	ON	2007/02/25 19:12
S19	0	S18 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26
S20	\	\$4controller\$4 (\$4Divid\$4 or \$4\$plit\$4 or \$4\$Plit\$5 or \$4\$Partit\$5 or \$4\$Genar4\$5) (\$4Chain \$4 or \$4\$equenc\$4 or \$4\$equenc\$4 or \$4\$equenc\$5 or \$4sorambl\$5) \$4put\$5 or \$4sorambl\$5) \$4put\$6 \$4\$orogram\$5 or \$4command\$4 or \$4\$execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	SAME	ON	2007/02/25 19:14
S21	19	S20 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:14

S22		\$4controller\$4 (\$4Divid\$4 or \$4\$plit\$4 or \$4\$plit\$4 or \$4\$Partit\$5 or \$4\$eparat\$5) (\$4Chain \$4 or \$4\$equenc\$4 or \$4\$equenc\$4 or \$4\$equenc\$4 or \$4\$equenc\$5 or \$4syramble \$5) \$4putt\$5 \$4\$fora\$4 (\$41struct\$7 or \$4program\$5 or \$40mmand\$4 or \$4\$excut\$6)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:25
S23	2	S22 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:26
S24	17	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4put\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/02/25 19:36
S2 5	5	\$24 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 19:54
S26		\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4cipher\$5 \$4putt\$5 \$450ra\$4 (\$41nstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4dlent\$3 or \$4dlent\$3 or \$4dlent\$6 \$3 or \$4dl	US-PGPUB; USPAT; USPAT; USPAC; EPO; JPO; DEFWENT; IBM_TDB	SAME	ON	2007/02/25 19:42

S27		\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) \$4putt\$5 \$4Sora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminat\$3 or \$4Client \$3 or \$4User\$2 or \$4host \$3 or \$4station\$2 or \$4devic\$3) (time with (\$4average\$4 or \$4minimum\$4 or \$4minimum\$4)	US-PGPUB; USPAT; USPAT; USPAT; JPO; DEFWENT; IBM_TDB	SAME	ÓN	2007/02/25 19:43
S28	4	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4scrambl55) \$4putt\$5 \$4Stora\$4 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminai\$3 or \$4Client \$3 or \$4User\$2 or \$4host \$3 or \$4station\$2 or \$4devic\$3) time	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 19:50
S29	9	\$4controller\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4dipher\$5 of \$4putt\$5 (\$4Storage\$7 or Hard?disk \$4 or (Read\$4 with Writ \$6)) (\$4Instruct\$7 or \$4program\$5 or \$4Cxecut\$6) (\$4Node\$3 or \$4Workstat\$4 or \$4Termial\$3 or \$4Olient \$3 or \$4station\$2 or \$4devic\$3) (time or Period \$4 or \$4Schedut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	8	2007/02/25 20:41
S30	3	S29 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 20:53

S31	11	\$4controller\$4 (\$4Divid\$4 or \$4\$Ditid\$4 or \$4\$Ditid\$4 or \$4\$Artiti\$5 or \$4\$egment\$4) (\$4crypt \$5 or \$4\$cipher\$5 or \$4scrambt\$5 or \$4digital \$4 near \$4signatur\$4)) \$4putt\$5 (\$4Storage\$7 or Hard*Zitisk\$4 or (Read\$4 with Wirt\$6)) (\$4Instruct \$7 or \$4program\$5 or \$4Command\$4 or \$4Command\$6 or \$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 21:05
S32	4	S31 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 21:06
S33	11	(\$4controller\$4 same (\$4Scorage\$7 or Hard?disk \$4 or (Read\$4 with Writ \$6))) (\$4Divid\$4 or \$4Squit\$5 or \$4Sgment\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4sdpiner\$5 or \$4dpiner\$5 or \$4dpiner\$5 or \$4dpiner\$6 or \$4dp	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/02/25 21:05
S34	30	(\$4controller\$4 same (\$4Storage\$7 or Hard?disk \$4 or (Read\$4 with Writ \$6))) ((\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) same (\$4crypt\$5 or \$4cipher\$5 or \$4scambl\$5 or (\$4digital\$4 near \$4signatur\$4)) same \$4putt\$5 same (\$4nstruct\$7 or \$4program\$5 or \$4command\$4 or \$4Command\$4 or \$4Command\$4 or \$4Command\$4 or \$4Command\$5 or \$4command\$5 or \$4command\$5 or \$4command\$6	US PGPUB; USPAT; USOCR; EPC; JPC; DEFWENT; IBM_TDB	AND	ON	2007/02/26 10:04
S35	4	S33 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 21:07

S36	17	S34 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/25 21:08
S 37	10	(US-20030099357-\$ or US- 20030105720-\$), idi. or (US-7120251-\$ or US- 6834346-\$ or US- 5335277-\$ or US- 6519715-\$ or US- 7099479-\$ or US- 7099479-\$ or US- 7155616-\$), did.	US-PGPUB; USPAT	AND	OZ	2007/02/26 09:57
S38	.1	((\$4Divide\$4 or \$4Splii\$4 or \$4Partit\$5 or \$4Partit\$5 or \$4Segment\$4) same (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)) same \$4signatur\$4) same \$4putt\$5 same (\$4nstruct \$7 or \$4program\$5 or \$4Command\$4 or \$4Command\$4 or \$4Command\$4 or \$4chedul \$4 or \$4chedul \$	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWIENT; IBM_TDB	AND	ON ON	2007/02/26 10:10
S39	0	S38 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26
S40		((\$4crypt\$5 or \$4cipher \$5 or \$4scrambi\$5 or (\$4digital\$4 near \$4signatur\$4)) same \$4putt\$5 same (\$4Instruct \$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6) same ((time or Period\$4 or 4Schedul \$4) with (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:24

S41	5	S40 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:26
S42		((\$4crypt\$5 or \$4cipher \$5 or \$4scrambls5 or (\$4digital\$4 near \$4signatur\$4)) same (\$4Divide\$4 or \$4\$plit\$4 or \$4Partit\$5 or \$4Segment\$4) same (\$4Instruct\$7 or \$4Porgram\$5 or \$4Command\$4 or \$4Cecut\$6) same ((time or Period\$4 or 4Schedul \$4) with (\$4average\$4 or \$4maximum\$4) or \$4maximum\$4)	US-PGPUB; USPAT; USPAT; USPAT; JPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26
S43	10	S42 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:41
S44	2	\$4controller\$4 (\$4Divide \$4 or \$4Split\$4 or \$4Partit \$5 or \$4Segment\$4) (\$4Chain\$4 or \$4Sequenc \$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4String\$4) (\$4crypt\$5 or \$4String\$4) (\$4crypt\$5 or \$4signatur\$4)) \$4putt\$5 (\$4Instruc\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	МТН	ÓN	2007/02/26 10:39
S45	0	S44 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 10:56

S46	14	(\$4controller\$4 or Storage \$7 or Hard?disk\$4 or (Pead\$3 with Writs6)) (\$4Divide\$4 or \$4Split\$4 or \$4Partit\$5 or \$4Segment\$4) (\$4Chain \$4 or \$4Sequenc\$4 or \$4Series\$4 or \$4String\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4serambi\$5 or (\$4dightal\$4 near \$4signatur\$4)) \$4putt\$5 (\$4ndsruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6)	US-PGPUB; USPAT; USPOR; EPO; JPO; DEFWENT; IBM_TDB	SAME	ÓN	2007/02/26
S47	10	S46 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/26 11:28
S48	119	((\$4crypt\$5 or \$4cipher \$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4)).ti. or (\$4digital\$4 sor \$4signatur\$4)).ti. or (\$4digital\$4 near \$4signatur\$4)).ab.) \$4controller\$4 (\$0crage\$7 or Hard*0is(\$4d) (\$4digital\$4 near \$4signatur\$4)).ab.) \$4controller\$4 (\$0crage\$7 or Hard*0is(\$4d) (\$4digital\$4 or \$4sQitis\$4 or \$4sQitis\$4 or \$4sQitis\$4 or \$4sQitis\$5 or \$4seqment\$4) (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 or \$4scrambl\$5 or \$4scrambl\$5 or \$4scrambl\$5 or \$4cipher\$5 or \$4scrambl\$5 or \$4signatur\$4)) \$4putt\$5 (\$4digital\$4 near \$4signatur\$4)) \$4putt\$5 (\$4digital\$6 near \$4signatur\$6) (\$4digital\$6 (\$4digital\$6) (\$4	US-PGPUB; USPAT; USCOR; EPO; JPO; DEHWENT; IBM_TDB	AND	ON	2007/02/26
S49	81	S48 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	0N	2007/02/26 11:33

S50	335	\$4controller\$4 Storage\$7 (\$4lnstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6 or procedur \$4) (time\$4 or Period\$4 or 4\$chedul\$4 or delay\$4 or expirat\$4) input\$4 output\$4	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/02/08 19:32
S51	7	10/809789	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/08 19:33
S52	25	\$4controller\$4 Storage\$7 (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or Period\$4 or 4Schedul\$4 or Period\$4 or expirat\$4) (time\$4 or Period\$4 or expirat\$4) input\$4 output\$4 (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl \$5 or (\$4digital\$4 near \$4signatur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/02/08 19:34
S 53	19	S52 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/08 19:40
S54		(US-20030099357-\$ or US- 20030105720-\$), did. or (US-7120251-\$ or US- 6834346-\$ or US- 5335277-\$ or US- 651971-\$ or US- 4972473-\$ or US- 7099479-\$ or US- 5887243-\$ or US- 7155616-\$ or US- 6411714-\$ or US- 5883957-\$), did.	US-PGPUB; USPAT	AND	ON	2008/02/08 19:46

S55	3	(\$4controller\$4 with Sorage\$7) (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$8 or procedur \$4) (time\$4 or Period\$4 or 4Schedul\$5 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital \$4 near \$4signatur\$4)) (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4)	US-PGPUB; USPAT; USPAT; USPAT; JPO; JEGY JEGY JEGY JEGY JEGY JEGY JEGY JEGY	SAME	ON	2008/02/08 19:51
S56	1	\$55 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/08 19:52
S57	5	(\$4controller\$4 Storage \$7).ti. (\$4controller\$4 Storage\$7).ab. (\$4controller\$4 with Storage\$7).(\$4Instruct\$7 or \$4program\$5 or \$4Dcounts\$6 or procedur \$4) (time\$4 or Period\$4 or 4Schedu\$4 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4scramb\$5 or (\$4digital \$4 near \$4signatur\$4)) (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWMENT; IBM_TDB	AND	ON	2008/02/08 19:54
S58	2	S57 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/08 19:55

S59	395	(\$4controller\$4 or Storage \$7).ti. (\$4controller\$4 or Storage\$7).ab. (\$4controller\$4 with Storage\$7) (\$4Instruct\$7 or \$4program\$5 or \$4Command\$4 or Period\$4 or \$2chedu\$6 or procedur \$4) (time\$4 or Period\$4 or \$2chedu\$6 or procedur \$4) (time\$4 or Period\$4 or expirat\$4) (input\$4 with output\$4) (\$4crynt\$5 or \$4dipher\$5 or \$4scrambt\$5 or (\$4digital \$4 near \$4signatur\$4)) (\$4average\$4 or \$4minimum\$4 or \$4maximum\$4)	US-PGPUB; USPAT; USPAT; USCOR; EPO; JPO; DEFRWENT; IBM_TDB	AND	ON .	2008/02/08 20:05
S60	175	S59 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/08 20:07
S61	, 140	(\$4controller\$4 or Storage \$7).ti. (\$4controller\$4 or Sorage\$7).ab. (\$4controller\$4 with Sorage\$7 with (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4)) (\$4nstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Command\$4 or \$4Execut\$6 or procedur \$4) (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4crypt\$5 or \$4scrambt\$5 or \$4scrambt\$5 or \$4scrambt\$5 or \$4scrambt\$6 or \$4scrambt\$6 or \$4scrambt\$7 or \$4s	US-PGPUB; USPAT; USOAT; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2008/02/08
S62	30	S61 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/08 20:10

S63	13	(US-20020051544-\$ or US- 20030200398- or US- 20030177379-\$ or US- 20020194294-\$ or US- 2002007445-\$), did. or (US-6922775-\$ or US- 6594563-\$ or US- 67962070-\$ or US- 6896130-\$ or US- 6986130-\$ or US- 6986130-\$ or US- 6986130-\$ or US- 6986130-\$ or US- 696120-\$ or US- 6496171-\$ or US- 6401711-\$ or US- 6401711-\$ or US- 6401711-\$ or US-	us-Pgpub; uspat	AND	ON	2008/02/08 20:51
S64	9	S63 (\$4controller\$4 with Sorage\$7 with (time\$4 or Period\$4 or 45chedul\$4 or delay\$4 or expirat\$4)) (\$4nstruct\$7 or \$4program\$5 or \$4Command\$4 or 45chedul\$6 or procedur \$4) (time\$4 or Period\$4 or 4Schedul\$6 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4corpt\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4cipher\$5 or \$4serambl\$5 or (\$4digital \$4 near \$4signatur\$4)) (\$4average\$4 or \$4maximum\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2008/02/08
S65	13	(US-20020051544-\$ or US- 20030200398-9 or US- 20030177379-\$ or US- 20020194294-\$ or US- 20020007445-\$), did. or (US-6922775-\$ or US- 6584563-\$ or US- 6260120-\$ or US- 6988130-\$ or US- 6988130-\$ or US- 6980120-\$ or US- 6980130-\$ or US-	us-Pgpub; uspat	AND	ON	2008/02/14 13:13

S 66	9	S65 (\$4controller\$4 with Storage\$7 with (time\$4 or delay\$4 or expirat\$4) (\$4lnstruct\$7 or \$4program\$5 or \$4Command\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) (time\$4 or delay\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4crypt\$5 or \$4cipher\$5 or \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWMENT; IBM_TDB	AND	ON	2008/02/14
\$6 7	n	(US-20020051544-\$ or US- 20030200398-\$ or US- 20030177379-\$ or US- 20020194294-\$ or US- 20020194294-\$ or US- 6594563-\$ or US- 6594563-\$ or US- 6594503-\$ or US- 6988130-\$ or US- 6998130-\$ or US- 6998130-\$ or US- 699255-\$ or US- 6502162-\$ or US- 6421711-\$). did.	US-PGPUB; USPAT	AND	ON	2008/02/14 14:30
S68	9	S67 (\$4controller\$4 with Sorage\$7 with (time\$4 or Period\$4 or 4\$chedul\$4 or delay\$4 or expirat\$4)) (\$4lnstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4chedul\$8 or delay\$4 or 4Schedul\$8 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4cypt\$5 or \$4cipher\$5	US-PGPUB; USPAT; USOAT; USOAT; JPO; DEFWENT; IBM_TDB	AND	ON	2008/02/14 14:30

S69	7	(US-20020051544-\$ or US- 20030200398-\$ or US- 20030177379-\$). did. or (US-6922775-\$ or US- 6584563-\$ or US- 4755660-\$ or US- 6260120-\$). did.	US-PGPUB; USPAT	OR	ON	2008/02/14 14:39
S70	5	(US-20020051544-\$ or US- 20030200398-\$ or US- 20030177379-\$).did. or (US-4755660-\$ or US- 6260120-\$).did.	US-PGPUB; USPAT	OR	ON	2008/02/14 14:41
S71	5	S70 @ad<"20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14 14:42
S72		S71 (\$4controller\$4 with Sorage\$7 with (time\$4 or Period\$4 or 45chedu\$4 or delay\$4 or expirat\$4)) (\$4nstruc\$7 or \$4program\$5 or \$4Command\$4 or \$4chedu\$4 or 4Schedu\$4 or 4Schedu\$4 or expirat\$4) (input\$4 with output\$4) (\$4crynt\$5 or \$4cipher\$5 or \$4sgram\$5 or \$4sgram\$5 or \$4sgram\$5 or \$4sgram\$5 or \$4sgram\$6 \$4 or \$5chedu\$4 or \$4chedu\$6 or \$4chedu\$6 or \$4sgram\$5 or \$4sgram\$6 \$5 or \$4sgram\$6 \$5 or \$4sgram\$6 \$5 or \$4sgram\$7 \$6 \$4sgram\$8 \$6 or \$4sgram\$8 \$7 \$6 \$4sgram\$8 \$7 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6	US-PGPUB; USPAT; USOOR; EPO; JPO; DEHWENT; IBM_TDB	AND	ON	2008/02/14 14:49
S73		S71 (\$4controller\$4 with Sorage\$3 with (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4)) (\$4lnstruct\$7 or \$4program\$5 or \$4Command\$4 or \$4Execut\$6 or procedur \$4) (time\$4 or Period\$4 or 4Schedul\$4 or delay\$4 or expirat\$4) (input\$4 with output\$4) (\$4cryut\$5 or \$4cipher\$5 o	US-PGPUB; USPAT; USOOR; EPO; JPO; DEFMMENT; IBM_TDB	AND	ON	2008/02/14 14:52

- 2/14/2008 6:02:13 PM
- C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10809789\ 10809789. wsp